

Scopus

## Document details

[Back to results](#) | [Previous](#) 2 of 2[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More...](#)[Full Text](#)[View at Publisher](#)

2015 International Conference on BioSignal Analysis, Processing and Systems, ICBAPS 2015  
 5 October 2015, Article number 7292210, Pages 16-21  
 1st International Conference on BioSignal Analysis, Processing and Systems, ICBAPS 2015; Grand Seasons HotelKuala Lumpur; Malaysia; 26 May 2015 through 28 May 2015; Category numberCFP1516Y-ART; Code 118420

## Acceleration plethysmogram based biometric identification (Conference Paper)

Jaafar, N.A.L., Sidek, K.A. [✉](#), Mohd Azam, S.N.A.

Department of Electrical and Computer Engineering, Faculty of Engineering, International Islamic University Malaysia, Jalan Gombak, Kuala Lumpur, Malaysia

## Abstract

[View references \(13\)](#)

This paper presents the feasibility study of Acceleration Plethysmogram (APG) based biometric identification system. APG signals are obtained from the second derivative of the Photoplethysmogram (PPG) signal. It has been reported from previous literature that APG signals contain more information as compared to the PPG signal. Thus, in this paper, the robustness and reliability of APG signal as a biometric recognition mechanism will be proven. APG signals of 10 subjects were acquired from the Multiparameter Intelligent Monitoring in Intensive Care II Waveform Database (MIMIC2WDB) which contains PPG signals with a sampling frequency of 125 Hz. The signals were later converted into an APG waveform. Then, discriminating features are extracted from the APG morphology. Finally, these APG samples were classified using commonly known classification techniques to identify individuals. Based on the experimentation results, APG signal when using Bayes Network gives an identification rate of 97.5 percentage as compared to PPG signal of 55 percentage for the same waveform. This outcome suggests the feasibility and robustness of APG signals as a biometric modality as compared to PPG signals. © 2015 IEEE.

## Author keywords

APG signal Bayes Network Biometric MIMIC2WDB PPG signal

## Indexed keywords

Engineering controlled terms: Anthropometry Bayesian networks Patient monitoring Photoplethysmography Plethysmography

Metrics [View all metrics](#)

3 Citations in Scopus

95th Percentile

1.90 Field-Weighted Citation Impact



PlumX Metrics

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

## Cited by 3 documents

Human recognition from photoplethysmography (PPG) based on non-fiducial features

Karimian, N. , Guo, Z. , Tehranipoor, M.  
 (2017) *ICASSP, IEEE International Conference on Acoustics, Speech and Signal Processing - Proceedings*

Photoplethysmogram signal based biometric recognition using linear discriminant classifier

Chakraborty, S. , Pal, S.  
 (2016) *2016 2nd International Conference on Control, Instrumentation, Energy and Communication, CIEC 2016*

Effect of source wavelength on second derivative of finger photoplethysmogram in healthy young female volunteers

Shriram, R. , Martin, B. , Sundhararajan, M.  
 (2016) *Biomedical Research (India)*

[View all 3 citing documents](#)

Inform me when this document is cited in Scopus:

[Set citation alert](#)[Set citation feed](#)

Bayes networks

Biometric  
identification  
systemsBiometric  
identificationsBiometric  
recognitionClassification  
techniqueIntelligent  
monitoring

MIMIC2WDB

Sampling  
frequenciesEngineering main  
heading: Biometrics

**ISBN:** 978-147996879-4  
**Source Type:** Conference  
 Proceeding  
**Original language:** English

**DOI:** 10.1109/ICBAPS.2015.7292210  
**Document Type:** Conference Paper  
**Sponsors:** Leader  
**Publisher:** Institute of Electrical and Electronics  
 Engineers Inc.

## Related documents

The development of human  
biometric identification using  
acceleration plethysmogram

Sidek, K.A. , Zainal, N.I. , Azam,  
S.N.A.M.  
*(2015) ARPN Journal of  
Engineering and Applied  
Sciences*

Detection of c, d, and e waves in  
the acceleration  
photoplethysmogram

Elgendi, M.  
*(2014) Computer Methods and  
Programs in Biomedicine*

Four channel device for PPG  
measurements

Borik, S. , Cap, I. , Babusiak, B.  
*(2015) 2015 38th International  
Conference on  
Telecommunications and Signal  
Processing, TSP 2015*

View all related documents based  
on references

Find more related documents in  
Scopus based on:

Authors > Keywords >

## References (13)

View in search results format &gt;

☐ All ☐ Export ☐ Print ☐ E-mail ☐ Save to PDF ☐ Create bibliography

- ☐ 1 *UNISYS Security Index, UNISYS*  
 (Accessed on January 25th, 2015)  
<http://www.unisyssecurityindex.com/usil/>

- ☐ 2 Sidek, K.A., Khalil, I., Jelinek, H.F.  
 ECG biometric with abnormal cardiac conditions in remote monitoring system  
 (2014) *IEEE Transactions on Systems, Man, and Cybernetics: Systems*, 44 (11), art. no. 6867363, pp. 1498-1509. Cited 13 times.  
<http://ieeexplore.ieee.org/xpl/mostRecentIssue.jsp?punumber=6221021>  
 doi: 10.1109/TSMC.2014.2336842

View at Publisher

- ☐ 3 Spachos, P., Gao, J., Hatzinakos, D.  
 Feasibility study of photoplethysmographic signals for biometric identification  
 (2011) *17th DSP 2011 International Conference on Digital Signal Processing, Proceedings*, art. no. 6004938. Cited 14 times.  
 ISBN: 978-145770274-7  
 doi: 10.1109/ICDSP.2011.6004938

View at Publisher

- ☐ 4 Elgendi, M.  
 On the analysis of fingertip photoplethysmogram signals  
 (2012) *Current Cardiology Reviews*, 8 (1), pp. 14-25. Cited 125 times.  
 doi: 10.2174/157340312801215782

View at Publisher

- 
- ☐ 5 Singh, M., Nagpal, S.  
Features extraction in second derivative of finger PPG signal: A review  
(2013) *IJCSC*, 4 (2), pp. 1-5. Cited 5 times.  
September  
  
[View at Publisher](#)
- 
- ☐ 6 Elgendi, M., Jonkman, M., Deboer, F.  
Heart rate variability and the acceleration plethysmogram signals measured at rest  
  
(2011) *Communications in Computer and Information Science*, 127 CCIS, pp. 266-277. Cited 9 times.  
ISBN: 978-364218471-0  
doi: 10.1007/978-3-642-18472-7\_21  
  
[View at Publisher](#)
- 
- ☐ 7 Nousou, N., Urase, S., Maniwa, Y., Fujimura, K., Fukui, Y.  
Classification of acceleration plethysmogram using self-organizing map  
  
(2007) *2006 International Symposium on Intelligent Signal Processing and Communications, ISPACS'06*, art. no. 4212365, pp. 681-684. Cited 10 times.  
ISBN: 0780397339; 978-078039733-0  
doi: 10.1109/ISPACS.2006.364747  
  
[View at Publisher](#)
- 
- ☐ 8 Mohamad Rozi, R., Mohd Ali, M.A., Reaz, M.B.I.  
Effects of exercise on the second derivative photoplethysmography(PPG) waveform  
  
(2010) *IEEE Asia-Pacific Conference on Circuits and Systems, Proceedings, APCCAS*, art. no. 5774859, pp. 804-807. Cited 2 times.  
ISBN: 978-142447456-1  
doi: 10.1109/APCCAS.2010.5774859  
  
[View at Publisher](#)
- 
- ☐ 9 Hyun, J.B., Jung, S.K., Yun, S.K., Haet, B.L., Kwang, S.P.  
Second derivative of photoplethysmography for estimating vascular aging  
  
(2008) *Proceedings of the IEEE/EMBS Region 8 International Conference on Information Technology Applications in Biomedicine, ITAB*, art. no. 4407346, pp. 70-72. Cited 8 times.  
ISBN: 978-142441868-8  
doi: 10.1109/ITAB.2007.4407346  
  
[View at Publisher](#)
- 
- ☐ 10 Saeed, M., Villarroel, M., Reisner, A.T., Clifford, G., Lehman, L.-W., Moody, G., Heldt, T., (...), Mark, R.G.  
Multiparameter intelligent monitoring in intensive care II: A public-access intensive care unit database  
  
(2011) *Critical Care Medicine*, 39 (5), pp. 952-960. Cited 341 times.  
doi: 10.1097/CCM.0b013e31820a92c6  
  
[View at Publisher](#)
- 
- ☐ 11 Goldberger, A.L., Amaral, L.A., Glass, L., Hausdorff, J.M., Ivanov, P.C., Mark, R.G., Mietus, J.E., (...), Stanley, H.E.  
PhysioBank, PhysioToolkit, and PhysioNet: components of a new research resource for complex physiologic signals.  
  
(2000) *Circulation*, 101 (23), pp. E215-220. Cited 3344 times.  
  
[View at Publisher](#)
-

- 
- ☐ 12 Friedman, N., Geiger, D., Goldszmidt, M.  
**Bayesian Network Classifiers**  
(1997) *Machine Learning*, 29 (2-3), pp. 131-163. Cited 2247 times.  
[View at Publisher](#)
- 

- ☐ 13 Baptista, A.G., Silva, D.  
How k-nearest neighbour parameters affects its performance?  
(2009) *38 JAIIO-Simposio Argentino de Inteligencia Artificial (ASAI 2009)*, pp. 95-106.
- 

© Copyright 2017 Elsevier B.V., All rights reserved.

---

[◀ Back to results](#) | [◀ Previous](#) 2 of 2

[^ Top of page](#)

## About Scopus

[What is Scopus](#)  
[Content coverage](#)  
[Scopus blog](#)  
[Scopus API](#)  
[Privacy matters](#)

## Language

[日本語に切り替える](#)  
[切换到简体中文](#)  
[切换到繁體中文](#)  
[Русский язык](#)

## Customer Service

[Help](#)  
[Contact us](#)

---

**ELSEVIER**

[Terms and conditions](#) [Privacy policy](#)

Copyright © 2017 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

Cookies are set by this site. To decline them or learn more, visit our [Cookies page](#).

 RELX Gr